

# Donna's poppy pattern

US and UK Terms

## US Terms

#3 weight or DK yarn black and red (or purple)

3.5mm hook or 3mm if you crochet loosely

Slst - Slip Stitch

Ch - chain

SC - single crochet

HDC - Half double crochet

DC - Double crochet



1, BLACK; Magic ring or chain 4 and join to form a ring, SC 13 into magic ring and join with a SlSt. Fasten off and join RED with a SlSt

2, All in Back loops (this row only); HDC, DC, 2 DC into the next stitch, 3 DC into the next stitch, 2 DC into the next stitch,

DC, HDC, SlSt and HDC into the next stitch, 2 DC into the next 3 stitches, HDC, SlSt, SlSt to the 1st HDC made.

3, HDC, 2 DC into the next 2 stitches, DC, 2 DC into the next 3 stitches, DC, 2 DC into the next 2 stitches, HDC, SlSt, HDC, 2 DC into the next 2 stitches, DC, 2 DC into the next stitch, DC, 2 DC into the next 2 stitches, HDC, SlSt.

4, Chain 1, SC chain 2 in each stitch of the first petal ending with an SC, SlSt in the SlSt of last round, Chain 1, SC chain 2 in each stitch of the 2nd petal ending with an SC, SlSt in the SlSt of last round and fasten off

## **UK Terms**

DK yarn black and red (or purple)

3.55mm hook or 3mm if you crochet loosely

Slst - Slip Stitch

Ch - chain

DC - Double crochet

HTR - Half treble crochet

TR - Treble crochet

1, BLACK; Magic ring or chain 4 and join to form a ring, DC 13 into magic ring and join with a SISt. Fasten off and join RED with a SISt

2, All in Back loops; HTR, TR, 2 TR into the next stitch, 3 TR into the next stitch, 2 TR into the next stitch, TR, HTR, SISt and HTR into the next stitch, 2 TR into the next 3 stitches, HTR, SISt, SISt to the 1st HTR made.

3, HTR, 2 TR into the next 2 stitches, TR, 2 TR into the next 3 stitches, TR, 2 TR into the next 2 stitches, HTR, SISt, HTR, 2 TR into the next 2 stitches, TR, 2 TR into the next stitch, TR, 2 TR into the next 2 stitches, HTR, SISt.

4, Chain 1, DC chain 2 in each stitch of the first petal ending with an DC, SISt in the SISt of last round, Chain 1, DC chain 2 in each stitch of the 2nd petal ending with an DC, SISt in the SISt of last round and fasten off

